Using off-path mechanisms for exposing Time-Variant Routing information

draft-ietf-tvr-off-path-exposure-01

Luis M. Contreras (Telefónica)

IETF 124, TVR WG, Montreal, November 2025

Updates

- Draft renamed to “off-path” as agreed in IETF 123
  - draft-ietf-tvr-off-path-exposure-00
- New maintenance version (v -01) released
  - Update of Appendix A on Assessment of ALTO as off-path solution against latest version of TVR requirements
- New comments / reviews have been asked in the mailing list, not having received further comments
  - Is the document sufficiently stable to be moved forward?

Next steps

- The draft now refers to three different alternative off-path solutions, is there any other option?
  - ALTO, Network Controllers in general, and Managing Device or Schedule Database as described in [I-D.zdm-tvr-applicability] are the options identified so far
  - Can be assumed that Network Controllers, Managing Devices and Schedule Databases expose TVR YANG for retrieving the TVR information?
    - Should be any further detail included in this draft?
- Should we cleanup the draft by removing annexes?
  - As author my choice would be:

Appendix A. Assessment of ALTO as off-path solution against TVR requirements 11
Appendix B. Assessment of the archietcture proposed in I-D.wqb-tvr-applicability 13
Appendix C. Implementation status 14
Appendix D. Identified gaps on TVR specifications 15

→ **??** Could be useful for triggering further work on ALTO to close gaps

→ **Remove**

→ **??** Could serve as reference work, being open source

→ **Remove,** but useful for further work in TVR (I think)

- After decided changes, move the draft forward