

draft-ietf-rtgwg-ordered-fib-01

Pierre Francois

Olivier Bonaventure

Mike Shand

Stewart Bryant

Stefano Previdi

{pierre.francois, olivier.bonaventure}@uclouvain.be

{mshand, stbryant, sprevidi}@cisco.com

Changes

- Section 3 is clarified
 - 3.1 : Deducing the topology change
 - 3.2 : When does ofib apply ?
 - link state notifications received between first event and the hold down period
 - reference a common router R, and
 - one of the following assertions is verified
 - The set of notifications refer to link down events concerning protected links and metric increase events
 - The set of notifications refer to link up events and metric decrease events

Changes

- Section 5
 - 5.2 : Content of a completion message
 - Identity of the sender
 - A list of routing notifications being considered in the associated FIB change.
 - Each notification is defined as :
 - Node ID of the near end of the link
 - Node ID of the far end of the link
 - Old Metric
 - New Metric

Changes

- No encoding specified
 - Protocol dependent
 - First attempt for IS-IS in
 - [4] O. Bonaventure, P. Francois, and S. Previdi, "ISIS extensions for ordered FIB updates", draft-bonaventure-isis-ordered-00.txt, Feb 2006.
 - Will take comments on oFIB into account for IETF'70 and revive this draft

Questions ?