

# vCard XML Schema

## [draft-ietf-vcarddav-vcardxml-02]

Simon Perreault

Viagénie

[simon.perreault@viagenie.ca](mailto:simon.perreault@viagenie.ca)

vcarddav Working Group Meeting  
IETF-77, Anaheim

2010-03-24

# Status Update

- Went from -01 to -02.
- In sync with latest vCard 4.0 draft.
- <type> parameter is now plain text.
  - <parameters>  
    <type>work</type>  
    <type>cell</type>  
  </parameters>

```
<?xml version="1.0" encoding="UTF-8"?>
<vcards xmlns="urn:ietf:params:xml:ns:vcard-4.0">
  <vcard>
    <fn><text>Simon Perreault</text></fn>
    <n>
      <surname><text>Perreault</text></surname>
      <given><text>Simon</text></given>
      <prefix><text/></prefix>
      <suffix>
        <text>ing. jr.</text>
        <text>M.Sc.</text>
      </suffix>
    </n>
    <bday><date>--0203</date></bday>
    <anniversary>
      <date-time>20090808T1430-0500</date-time>
    </anniversary>
    <sex>1</sex>
    <lang>
      <parameters><pref>1</pref></parameters>
      <language-tag>fr</language-tag>
    </lang>
    <lang>
      <parameters><pref>2</pref></parameters>
      <language-tag>en</language-tag>
    </lang>
    <org>
      <parameters><type>work</type></parameters>
      <text>Viagenie</text>
    </org>
```

```
<adr>
  <parameters><type>work</type></parameters>
  <pobox><text/></pobox>
  <ext><text>Suite 625</text></ext>
  <street><text>2600 boul. Laurier</text></street>
  <locality><text>Quebec</text></locality>
  <region><text>QC</text></region>
  <code><text>G1V 4W1</text></code>
  <country><text>Canada</text></country>
</adr>
<tel>
  <parameters>
    <type>work</type>
    <type>voice</type>
  </parameters>
  <uri>tel:+1-418-656-9254;ext=102</uri>
</tel>
<tel>
  <parameters>
    <type>work</type>
    <type>text</type>
    <type>voice</type>
    <type>cell</type>
    <type>video</type>
  </parameters>
  <uri>tel:+1-418-262-6501</uri>
</tel>
<tel>
  <parameters>
    <type>work</type>
    <type>fax</type>
  </parameters>
  <uri>tel:+1-418-656-9257</uri>
</tel>
```

```
<email>
  <parameters><type>work</type></parameters>
  <text>simon.perreault@viagenie.ca</text>
</email>
<geo>
  <parameters><type>work</type></parameters>
  <uri>geo:46.772673,-71.282945</uri>
</geo>
<key>
  <parameters><type><work/></type></parameters>
  <uri>http://www.viagenie.ca/simon.perreault/simon.asc</uri>
</key>
<tz><text>America/Montreal</text></tz>
<class>PUBLIC</class>
</vcard>
</vcards>
```

# How to translate X-props and VND-props

- Issue: round-trip XML translation of this:

X-FOO:blah

VND-123-FOO:blah

- Proposals:

1. Ignore the issue.

- 2.<x-foo><text>blah</text></x-foo>  
<vnd-123-foo><text>blah</text></vnd-123-foo>
- 3.<x name='FOO'><text>blah</text></x>  
<vnd name='FOO' pen="123"><text>blah</text></vnd>
- 4.<foo xmlns="urn:ietf:params:xml:ns:vcard-  
4.0:xname"><text>blah</text></foo>  
<foo xmlns="urn:ietf:params:xml:ns:vcard-  
4.0:vnd:123"><text>blah</text></foo>

# Next Steps

- WGLC

This is the last slide.