

# Heresy Time!

Sensible people SHOULD leave the room

# ALTO is booring

- Only suitable for static information (yawn!)
  - Pull only, no push
  - No update mechanism
  - No server-to-server

# But...

- Extensible toolbox (resource directory)
- Extensible syntax
- JSON-patch
- JOSE for signing

```
{
  "resources": [
    {
      "capabilities": {
        "cost-modes": [
          "numerical"
        ],
        "cost-types": [
          "routingcost"
        ]
      },
      "media-types": [
        "application/alto-costmap+json"
      ],
      "uri": "http://alto.ietf.org/costmap/num/routingcost"
    },
    .
    .
    .
  ]
}
```

```
{
  "resources": [
    {
      "capabilities": {
        "cost-modes": [
          "numerical"
        ],
        "cost-types": [
          "routingcost"
        ]
      },
      "media-types": [
        "application/alto-costmap+json"
      ],
      "uri": "http://alto.ietf.org/costmap/num/routingcost"
    },
    .
    .
    .
  ]
}
```




**Here it comes...**

Sensible people SHOULD really leave the room now!

```
{
  "resources": [
    {
      "capabilities": {
        "cost-modes": [
          "numerical"
        ],
        "cost-types": [
          "routingcost"
        ]
      },
      "media-types": [
        "application/alto-costmap+json"
      ],
      "uri": [
        "http://alto.ietf.org/costmap/num/routingcost"
        "xyzp://alto.ietf.org/costmap/num/routingcost"
      ]
    },
    .
    .
    .
  ]
}
```


```
{
  "resources": [
    {
      "capabilities": {
        "cost-modes": [
          "numerical"
        ],
        "cost-types": [
          "routingcost"
        ]
      },
      "media-types": [
        "application/alto-costmap+json"
      ],
      "uri": [
        "http://alto.ietf.org/costmap/num/routingcost"
        "xyzp://alto.ietf.org/costmap/num/routingcost"
      ]
    },
    .
    .
    .
  ]
}
```



**XMPP?**




```
{
  "resources": [
    {
      "capabilities": {
        "cost-modes": [
          "numerical"
        ],
        "cost-types": [
          "routingcost"
        ]
      },
      "media-types": [
        "application/alto-costmap+json"
      ],
      "uri": [
        "http://alto.ietf.org/costmap/num/routingcost"
        "xyzp://alto.ietf.org/costmap/num/routingcost"
      ]
    },
    .
    .
    .
  ]
}
```



**XMPP?** **SIP?**

```
{
  "resources": [
    {
      "capabilities": {
        "cost-modes": [
          "numerical"
        ],
        "cost-types": [
          "routingcost"
        ]
      },
      "media-types": [
        "application/alto-costmap+json"
      ],
      "uri": [
        "http://alto.ietf.org/costmap/num/routingcost"
        "xyzp://alto.ietf.org/costmap/num/routingcost"
      ]
    },
    .
    .
    .
  ]
}
```

**XMPP?** **SIP? (No, kidding!)**



# Two Way ALTO Protocol

alto.tw

Two Way ALTO Protocol