

IODEF Enumeration Reference Format
Adam Montville, amontville@tripwire.com

URL: <http://tools.ietf.org/html/draft-montville-mile-enum-reference-format-02>

Abstract:

The Incident Object Description Exchange Format [IODEF] provides a Reference class used to reference external entities (such as enumeration identifiers). However, the method of external entity identification has been left unstructured. This document describes a method to provide structure for referencing external entities for the [IODEF] Reference class.

Updated the abstract to be IODEF-specific.




FIGURE 1: [IODEF] Reference Class

*Now explicitly points to
IODEF Reference Class*

2.1 Reference Name Format

The format of the ReferenceName MUST follow the form of
`id_type:version:id`

*Added "version" to the
ReferenceName field
format.*

```
<Reference>  
  <ReferenceName>CXI:1.0:CXI-1234-XYZ</ReferenceName>  
  <URL>http://cxi.example.com</URL>  
  <Description>Foo</Description>  
</Reference>
```

*Example has been updated
to new ReferenceName
format.*

Full Name: Concept X Identifier
Abbreviation: CXI
Version: 1.0
Specification URI: http://cxi.example.com/spec_url

*Added Full Name and
Abbreviation to IANA table
information.*

Open Issues:

- 1. Need help with IANA Considerations section*
- 2. ???*