

Quality of Service Option for Proxy Mobile IPv6

draft-ietf-netext-pmip6-qos-03.txt

S. Gundavelli, J. Korhonen, M. Liebsch, P. Seite, H. Yokota

IETF87, Berlin

NetExt WG

30th July 2013

Status

- Authors received review comments based on version 02
 - Thanks to Raj and Ahmad for the detailed review and valuable comments !
- 3rd revision published in July 2013
- 3GPP TR 23.839 about Broadband Forum (BBF) access inter-working refers to this draft

Adopted changes

- Clarification about policies applying on MN, mobility session or flow level
 - Previous versions received such comments; so far clarified mainly in message formatting sections
 - Now clarified throughout the document
- Clarification on scope of the document
 - Setup of QoS policies between MAG (uplink) and LMA (downlink)
 - Optional extension for downlink enforcement (MAG and southbound)
 - No details, just informational appendix
- Clarification: Flow-specific rules will overrule default rules
- Removed 3GPP specific wording on different places (e.g. LTE, Policy and Charging Control / PCC, non-3GPP access)
- Added missing QoS attribute in list of all specified attributes

Other comments

- References
- Bearer concept and TFT for uplink
 - Communication of TLT to the MN for uplink.
 - Comment: Clarification needed why out of scope. Or specify.

Next Steps

- Issue WG Last Call
- Progress document to IESG Last Call