

# Mapping characters for PRECIS classes

draft-ietf-precis-mappings-08

Takahiro NEMOTO

[t.nemo10@kmd.keio.ac.jp](mailto:t.nemo10@kmd.keio.ac.jp)

Keio University / Aoyama Gakuin University

# Changes from -07 to -08(1/3)

1. Modified Abstract and Section 1 “Introduction” to clarify that this document is for PRECIS profile designers.

“This document provides guidelines for authors of protocol profiles of the PRECIS framework and describes several mappings that can be applied between receiving user input and passing permitted code points to internationalized protocols.”

# Changes from -07 to -08(2/3)

2. Removed the text that specifies local case mapping as the “Case Mapping” in the PRECIS Profiles Registry and the alternative to Unicode Default Case Folding. Added guide text for profile designers.

“If Unicode Default Case Folding is selected as “Case Mapping” in PRECIS profiles registry, PRECIS profile designers may consider whether local case mapping can be applied. And if it can be applied, it is better to add “local case mapping is applicable alternatively” after “Unicode Default Case Folding” for note to application developers.”

# Changes from -07 to -08(3/3)

## 3. Modified Section 3 “Order of operations”.

Removed local case mapping from order list, because local case mapping is no longer additional mappings defined in PRECIS Framework.

# Next step

- There is no open issue in this version.
  - There have been no comments in the mailing list since the submission of -08
- We think that this document is ready for 3rd WG.
- Would like to move this version to WG LC.