

CLUE DATA CHANNEL

CHRISTER HOLMBERG

IETF#91

Honolulu, U.S.A.

(2) Q1: Keith Richard's draft

- **OPEN ISSUE:**

- It is FFS whether the SDP-based WebRTC Data Channel Negotiation mechanism [I-D.ejzak-dispatch-webrtc-data-channel-sdpneg] will be used with the CLUE Data Channel. It depends on whether the draft will progress in MMUSIC, and whether it will be finalized before the publication of the CLUE mechanism.

- **STATUS:**

- Nothing has happened since Toronto.

(6) DEPENDENCY IMPACTS

- **draft-ietf-mmusic-sctp-sdp-07:**
 - SDP sctpmap attribute has been removed
 - SDP sctp-port attribute introduced
 - With DTLS/SCTP, indicates actual SCTP port
 - Suggestion: No need to define fixed port value for CLUE
 - SDP fmtp attribute used to indicate max message size
 - Message size indication optional
 - Suggestion: No need to define max message size for CLUE

```
m=application 12345 DTLS/SCTP webrtc-datachannel  
a=fmtp: webrtc-datachannel max-message-size=100000  
a=sctp-port 4060
```

(7) DEPENDENCY IMPACTS

- **draft-ietf-rtcweb-data-channel-12:**
 - No changes
- **draft-ietf-rtcweb-data-protocol-08:**
 - No changes

(8) NEXT STEPS

- Update draft based on closed open issues and changes in dependencies
- Need to wait for dependencies to be finalized before WGLC

THE END

THANK YOU FOR
LISTENING!