

CLUE Working Group

Daniel Burnett

Roni Even

Paul Kyzivat

<http://datatracker.ietf.org/wg/clue/charter/>



Note Well

Any submission to the IETF intended by the Contributor for publication as all or part of an IETF Internet-Draft or RFC and any statement made within the context of an IETF activity is considered an "IETF Contribution". Such statements include oral statements in IETF sessions, as well as written and electronic communications made at any time or place, which are addressed to:

- The IETF plenary session
- The IESG, or any member thereof on behalf of the IESG
- Any IETF mailing list, including the IETF list itself, any working group or design team list, or any other list functioning under IETF auspices
- Any IETF working group or portion thereof
- The IAB or any member thereof on behalf of the IAB
- The RFC Editor or the Internet-Drafts function

All IETF Contributions are subject to the rules of [RFC 5378](#) and [RFC 3979](#) (updated by [RFC 4879](#)).

Statements made outside of an IETF session, mailing list or other function, that are clearly not intended to be input to an IETF activity, group or function, are not IETF Contributions in the context of this notice.

Please consult [RFC 5378](#) and [RFC 3979](#) for details.

A participant in any IETF activity is deemed to accept all IETF rules of process, as documented in Best Current Practices RFCs and IESG Statements.

A participant in any IETF activity acknowledges that written, audio and video records of meetings may be made and may be available to the public.

Agenda bash - Wednesday

- 10:30 CLUE Status Update (Chairs)
- 10:40 Status of CLUE protocol (Simon Romano)
- 10:50 CLUE Signaling (Rob Hansen)
- 11:05 Mapping RTP streams to CLUE media captures (Roni Even)
- 11:15 Usage of CLUE with Perc (Roni Even)
- 11:30 End

Document Status

- CLUE framework in draft-ietf-clue-framework-23, this version tried to address the security comments from the AD, need to wrap it up.
 - The current text:
 - In addition, the media is based on RTP and thus existing RTP security SHOULD be supported, and DTLS/SRTP MUST be supported. Media security is also discussed in [I-D.ietf-clue-signaling] and [I-D.ietf-clue-rtp-mapping]."
 - The text to consider:
 - In addition, the media is based on RTP and thus existing RTP security mechanisms SHOULD be supported, and DTLS/SRTP MUST be supported and SHOULD be used. If media is protected by other means [RFC7201], then DTLS/SRTP does not need to be used.

Document Status

- CLUE Protocol data channel in draft-ietf-clue-datachannel-10
 - Need some update based on security discussion on the list as proposed by Alissa.

Document Status

- An XML Schema for the CLUE data model in draft-ietf-clue-data-model-schema-11
 - Can go to publication but prefer to send it with the signaling and protocol drafts?