


I2RS FIB model

Susan Hares and I2RS FB-RIB

Design team



fb-rib-types module

```
+--rw fb-ribs  
+--rw type identityref //Replace with ephemeral
```

```
+--rw fb-rib* [rib-name]  
  +-rw rib-name string  
  +-rw rib-afi rt:address-family  
  +-rw fb-rib-intf* [name]  
    +-rw name string  
    +-rw intf if:interface-ref;  
    +-rw default-fb-rib  
    ...  
    |   +-rw instance-using*  
    |   +-rw fb-rib-group [name]  
    |   ...
```

```
| +-rw fb-rib-group* [group-name]
| | +-rw group-name string
| | +-rw order-number uint64
| | +-rw filter-type identityref // acl, eca
|
| | +-rw acl-group*
| |   path "/acl:access-lists/acl:acl/
| |     acl:access-list-entries";
|
| | +-rw eca-group* bnp-eca:rule-group:name
```

Issues

- FB-RIBs – create policy routing
- FB-RIBs are
 - Apply to instance
 - Policy may be Beyond instance and apply to many instances (like ACLs)
- Filter Based RIBs – Need config + ephemeral
- No Filter-Based RIBs exist in Yang modules
- Solution: Created both ephemeral and non-ephemeral
- Watch for improved draft today