

DDoS Open Threat Signaling (DOTS) Working Group

draft-ietf-dots-use-cases Update

Roland Dobbins – Arbor Networks

Stefan Fouant – Corero Network Security

Daniel Migault – Ericsson

Robert Moskowitz – HTT Consulting

Nik Teague – Verisign

Liang 'Frank' Xia – Huawei

Kaname Nishizuka - NTT


Changes for -02

- ***Work in progress!***
- Consolidation with draft-nishizuka-dots-inter-domain-usecases-01.
- Major re-factoring of document!
- Focus on minimum viable capability (MVC) for DOTS Phase I, reproducing and supplementing current non-standard signaling mechanisms via standards-based method (e.g., DOTS); additional optional capabilities outlined in use-cases.
- Prosaic use-cases more accessible to non-specialists.
- Current -01 use-case archetypes simplified, de-duplicated, and described in an appendix.
- New use-cases will combine components, exchanges, and processes.
- Additional co-authors.

Themes of -02 – Work in Progress!

- Produce a working model of what's currently possible, along with reasonable and desirable evolutionary innovation for DOTS Phase I.
- Explore and describe additional useful functionality which may be optional.
- Create a document that is easily understood by non-specialists.
- ***Broaden participation to ensure more viewpoints are represented. Send us your use-cases!***
- Capture all the above in a single document, which is more easily referenced than multiple documents.
- Is a major update!

IETF 96



DDoS Open Threat Signaling (DOTS) Working Group

Thank You!

Roland Dobbins – Arbor Networks

Stefan Fouant – Corero Network Security

Daniel Migault – Ericsson

Robert Moskowitz – HTT Consulting

Nik Teague – Verisign

Liang 'Frank' Xia – Huawei

Kaname Nishizuka - NTT