

LPWAN WG

WG Chairs:

Alexander Pelov <a@ackl.io>

Pascal Thubert <pthubert@cisco.com>

AD: Suresh Krishnan
<suresh@kaloom.com>

Note Well

Any submission to the IETF intended by the Contributor for publication as all or part of an IETF Internet-Draft or RFC and any statement made within the context of an IETF activity is considered an "IETF Contribution". Such statements include oral statements in IETF sessions, as well as written and electronic communications made at any time or place, which are addressed to:

- The IETF plenary session
- The IESG, or any member thereof on behalf of the IESG
- Any IETF mailing list, including the IETF list itself, any working group or design team list, or any other list functioning under IETF auspices
- Any IETF working group or portion thereof
- Any Birds of a Feather (BOF) session
- The IAB or any member thereof on behalf of the IAB
- The RFC Editor or the Internet-Drafts function

All IETF Contributions are subject to the rules of RFC 5378 and RFC 3979 (updated by RFC 4879).

Statements made outside of an IETF session, mailing list or other function, that are clearly not intended to be input to an IETF activity, group or function, are not IETF Contributions in the context of this notice. Please consult RFC 5378 and RFC 3979 for details.

A participant in any IETF activity is deemed to accept all IETF rules of process, as documented in Best Current Practices RFCs and IESG Statements.

A participant in any IETF activity acknowledges that written, audio and video records of meetings may be made and may be available to the public.

Reminder:

Minutes are taken *

This meeting is recorded **

Presence is logged ***

- * Scribe; please contribute online to the minutes at: <http://etherpad.tools.ietf.org:9000/p/lpwan>
- ** Recordings and Minutes are public and may be subject to discovery in the event of litigation.
- *** From the Webex login

Agenda bashing

16:00> Opening, agenda bashing (Chairs) [2min]

- Note-Well, Blue Sheets, Scribes, Agenda Bashing
- Approval minutes from last meeting

16:02> LPWAN Overview Presentation and Discussion (Stephen Farrel) [5min]

- <https://datatracker.ietf.org/doc/draft-ietf-lpwan-overview/>

16:07> Static Context Header Compression for IPv6 and UDP (Ana, Laurent, Carles) [40min]

- <https://datatracker.ietf.org/doc/draft-ietf-lpwan-ipv6-static-context-hc/>

16:47> LPWAN Static Context Header Compression (SCHC) for CoAP (Laurent) [10min]

- <https://datatracker.ietf.org/doc/draft-ietf-lpwan-coap-static-context-hc/>

16:57> AOB [QS]

Status

WG formed October 14th

- Charter item #1 (Informational document)
 - Baseline technology description
- Charter item #2 (Standards track document)
 - Enable the compression and fragmentation of a CoAP/UDP/IPv6 packet over LPWA networks

Charter - Milestones

Milestones

Date ⇄ **Milestone**

Jul 2017 Submit CoAP compression mechanism to the IESG for publication as a Proposed Standard

May 2017 Submit IP/UDP compression and fragmentation mechanism to the IESG for publication as a Proposed Standard

Apr 2017 Submit LPWAN specification to the IESG for publication as an Informational Document

Done Adopt CoAP compression mechanism as a WG item

Done Adopt IP/UDP compression and fragmentation mechanism as a WG item

Done Adopt LPWAN specifications as WG item

Last meeting Action items

- JCZ, DD: Review IP/UDP drafts
- CB, MV: Review CoAP draft
- Ana: Post to the mailing list with the terms that we want confirmed
- Overview and SCHC/IP: post refresher

Upcoming IETF in Prague

- Meeting? Hope so!
- 2H?

LPWAN Overview

Editor: Stephen Farrell
(many contributors)

Wi-Sun Contribution

- Status?
 - Inputs from Bob and Paul
- From Stephen:
 - Text from WI-SUN received
 - Next revision to be done and submitted by Friday (May, 12th)
 - As close as possible for WGLC
 - Minor changes may be necessary though
- Timeline
 - Submit version for Friday
 - Have detailed review from WG until May, 24th
 - Modify and submit WGLC-ready version by May, 30th

LPWAN SCHC Compression

draft-ietf-lpwan-ipv6-static-context-hc-03

Authors:

Ana Minaburo <ana@ackl.io>

Laurent Toutain <laurent.toutain@imt-atlantique.fr>

Carles Gomez <carlesgo@entel.upc.edu>

Compression Part:

- Updates from last meeting:
 - Vocabulary modifications:
 - Things or End-System (ES) => Device (DEV) waiting consensus ML
 - LPWAN Application Server (LA) => Application (APP)
 - Network Gateway (NG) => (NGW)
 - LPWAN Compressor (LC) => SCHC C/D
 - Changing CDF to CDA
 - As the MO is a function, the idea to make another function for C/D is confusing, so the C/DA will be an action after the MO function application.
 - To be clear: Field 1, field 2, etc are the Field ID

LPWAN SCHC Fragmentation

draft-ietf-lpwan-ipv6-static-context-hc-03

Authors:

Ana Minaburo <ana@ackl.io>

Laurent Toutain <laurent.toutain@imt-atlantique.fr>


Carles Gomez <carlesgo@entel.upc.edu>

Status

- Updates since the last interim (26th April)
- Included in draft-ietf-lpwan-ipv6-static-context-hc-03
 - Along with most of the updates presented in the last interim
- Thanks for the feedback!

Frag header (Window mode)

- W bit
 - Same value for fragments of the same window (first, W=1)
 - Complemented for the next window
 - Avoid ambiguity in certain conditions



Added

W bit: examples

Sender	Receiver	Sender	Receiver
-----W=1, CFN=6----->		-----W=1, CFN=6----->	
-----W=1, CFN=5----->		-----W=1, CFN=5----->	
-----W=1, CFN=4----->		-----W=1, CFN=4--X-->	
-----W=1, CFN=3----->		-----W=1, CFN=3----->	
-----W=1, CFN=2----->		-----W=1, CFN=2--X-->	
-----W=1, CFN=1----->		-----W=1, CFN=1----->	
-----W=1, CFN=0----->		-----W=1, CFN=0----->	
<-----ACK----- no bitmap		<-----ACK----- bitmap:11010111	
-----W=0, CFN=6----->		-----W=1, CFN=4----->	
-----W=0, CFN=5----->		-----W=1, CFN=2----->	
-----W=0, CFN=4----->		<-----ACK----- no bitmap	
-----W=0, CFN=7-----> MIC checked =>		-----W=0, CFN=6----->	
<-----ACK----- no bitmap		-----W=0, CFN=5----->	
(End)		-----W=0, CFN=4--X-->	
		-----W=0, CFN=7-----> MIC checked	
		<-----ACK----- bitmap:11010001	
		-----W=0, CFN=4-----> MIC checked =>	
		<-----ACK----- no bitmap	
		(End)	

Frag header for retries (Packet mode)

- First transmission attempt

```

<----- R ----->
          <- T -> <- N ->
+----- ... ----+ ... -+ ... -+
|   Rule ID   | DTag |   CFN   |
+----- ... ----+ ... -+ ... -+
  
```

- Retransmitted fragment

```

<----- R ----->
          <- T -> <----- A ----->
+----- ... ----+ ... -+ ... ----+
|   Rule ID   | DTag |         AFN         |
+----- ... ----+ ... -+ ... ----+
  
```

- Absolute Fragment Number
- Starts from 0, seq. increasing
- Size A may be greater than N

Retries (Packet mode): example

- Avoid ambiguity about resent frags in Packet modes

```

Sender                                     Receiver
(AFN=0)  |-----CFN=6----->|
(AFN=1)  |-----CFN=5----->|
(AFN=2)  |-----CFN=4---X---->|
(AFN=3)  |-----CFN=3----->|
(AFN=4)  |-----CFN=2---X---->|
(AFN=5)  |-----CFN=1----->|
(AFN=6)  |-----CFN=0----->|
(AFN=7)  |-----CFN=6----->|
(AFN=8)  |-----CFN=5----->|
(AFN=9)  |-----CFN=4---X---->|
          |-----CFN=7----->|MIC checked
          |<-----ACK----->|bitmap:1101011110100001
          |-----AFN=2----->|
          |-----AFN=4----->|
          |-----AFN=9----->|MIC checked =>
          |<-----ACK----->|no bitmap
(End)

```

Other updates

- Downlink fragment transmission
 - Receiver MAY perform an uplink transmission ASAP after reception of a downlink fragment (not the last one)
 - L2 ACK or upper layer triggered data unit transmission
- Timer names added
 - ‘ACK on Error Timer’
 - ‘ACK Always Timer’

Thanks!

Comments?

Authors:

Ana Minaburo <ana@ackl.io>

Laurent Toutain <laurent.toutain@imt-atlantique.fr>

Carles Gomez <carlesgo@entel.upc.edu>

LPWAN CoAP SCHC

Authors:

Ana Minaburo <ana@ackl.io>

Laurent Toutain <laurent.toutain@imt-atlantique.fr>

CoAP

- No more normative
- Description of CoAP fields compression
 - Work in progress...
- Read it !
- Questions on
 - Block / fragmentation
- Analysis of common exchanges
 - CoMi, LWM2M, IoTivity ?
 - URI-path/Query not flexible: is it a problem?
- Definition of timers:
 - Impact in MID and Token size.

AOB ?