Interim 2018-09-19

Open Pull-Requests

Proposal for shortest float encoding

#32 laurencelundblade

Lots of text

- -> reduce to essence
- Put under general "representation variants" umbrella

Preferred serialization

#28 laurencelundblade

- -> reduce to essence
- Put under general "representation variants" umbrella

Tighten up epoch time requirements [no longer deprecate use of floating point]

#27 laurencelundblade

- agree in principle
- reeduce footprint

Update ECMAScript standard referene to 2017

#24 BurtHarris

- covered (point to PDF, though)
- also adds PCRE reference, probably good idea
- should fix tag 35 description anyway (regexps) to point out this is
 - not an exact single kind of regexps

Fix the Javascript indistinguishability example to be true for JS Maps.

#19 jyasskin

- ECMAscript reference covered
- Maps -> objects, no?

Specify when tagged items are valid.

#18 jyasskin

Agree in principle. But see #17 below.

Clearly identify ill-formed and invalid items, and specify processor behavior on them

#17 jyasskin

- introduction of "argument" is a great editorial fix
 - → cherry-pick that
- clean up the rest of this PR into smaller units

Do we really want to distinguish "ill-formed" from "fatally ill-



No Open Pull-Requests

Still, some interesting observations on the mailing list

Kevin Braun: Representation variants

Current text assumes advances we have made from RFC 7049 to CBORbis

But CDDL needs to work with RFC 7049

→ Backport a minimal set

Kevin Braun: Map matching

Hmm.

→ make the role of PEG more explicit (e.g., "greediness")

Anything else?

John Mattsson, Francesca Palombini: .cborseq

Some editorial improvements possible

→ do them, add examples

John Mattsson

More editorial input

→ digest, add improvements