

Workgroup: Network Working Group  
Internet-Draft:  
draft-kuehlewind-shmoo-online-meeting-03  
Published: 9 November 2021  
Intended Status: Informational  
Expires: 13 May 2022  
Authors: M. Kuehlewind    M. Duke  
         Ericsson         F5 Networks, Inc.  
**Guidelines for the Organization of Fully Online Meetings**

## **Abstract**

This document provides guidelines for the planning and organization of fully online meetings, regarding the number, length, and composition of sessions on the meeting agenda. These guidelines are based on the experience after the COVID-19 pandemic in 2020.

## **Discussion Venues**

This note is to be removed before publishing as an RFC.

Discussion of this document takes place on the Stay Home Meet Only Online Working Group mailing list (manycouches@ietf.org), which is archived at <https://mailarchive.ietf.org/arch/browse/manycouches/>.

Source for this draft and an issue tracker can be found at <https://github.com/mirjak/draft-shmoo-online-meeting>.

## **Status of This Memo**

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 13 May 2022.

## **Copyright Notice**

Copyright (c) 2021 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

- [1. Introduction](#)
- [2. Some History](#)
- [3. Guidelines for Online Meeting Planning](#)
  - [3.1. Time Zone Selection](#)
    - [3.1.1. Rules for selection](#)
  - [3.2. Number of Days and Total Hours per Day](#)
  - [3.3. Session/Break Length](#)
  - [3.4. Number of Parallel Tracks](#)
- [4. Additional Considerations and Recommendations](#)
  - [4.1. Full vs. limited agenda \(and interim meetings\)](#)
  - [4.2. Flexibility of time usage](#)
  - [4.3. Chances for inclusivity and Lessons Learnt on socializing](#)
  - [4.4. Experiments](#)
- [5. Acknowledgments](#)
- [6. References](#)
  - [6.1. Normative References](#)
  - [6.2. Informative References](#)
- [Authors' Addresses](#)

## 1. Introduction

In 2020, the COVID-19 pandemic forced the IETF to move all its plenary meetings to online-only events. This document mainly records the experience gained by holding all three plenary meetings in 2020 fully online

and noting down the guidelines that have been followed since. The aim of this document is to determine rough consensus of these guidelines in the sense that the most participants are sufficiently satisfied with the current organization of fully online events. These guidelines, however, document only one option of running fully online meetings. But as the IETF has done for in-person meetings, changes to the organization of the meetings and the meeting agenda should be experimented with in the process of establishing future meeting guidelines.

## **2. Some History**

When the WHO declared a world-wide pandemic in March 2020, the IETF had to quickly cancel its plenary meeting and organize an online replacement instead (within less than two weeks). At that point, for this first online-only meeting, the agenda was reduced to a set of sessions that benefitted most from cross-area participation, like BoFs, first-time meetings of a new working groups, or dispatch sessions, as well as the administrative plenary in order to organize the official hand-over procedures that occur at the March meeting.

With such an reduced agenda, it was possible to organize the meeting within roughly 2 sessions (about 4 hours) a day and a maximum of two parallel tracks. This was possible as all working group meetings were instead moved to interims which were then distributed over the coming six weeks. However, this was often perceived as increased load over a longer time. But at that point of time there was not necessarily an expectation that the situation would continue as long as it did.

For the following meetings in 2020, the online schedule was retained in a fashion similar to an in-person meeting (1-2 hour slots and 8-9 parallel tracks as described below), however, still with a reduced total length of initially 5 hours a day and then 6 hours with longer breaks.

All fully online meetings in 2020 have followed the time zone of the planned in-person meeting location, but starting roughly around noon instead. Some flexibility with the start time to be "around" noon has been used to mitigate the worse possible time slots, even though, given the distribution of participants it is not possible to avoid certain hours entirely. The in-person meeting location follows the 1-1-1 rule as documented in [\[RFC8719\]](#) to rotate between Asia, Europe, and North America. While the exact time slot used had led to various discussions, following roughly the 1-1-1 rule to share the pain has/seems to have rough consensus.

## **3. Guidelines for Online Meeting Planning**

### **3.1. Time Zone Selection**

This time selection enables to have 2 out of 3 fully online IETF plenary meetings during the day from most participants. Basically every full online meeting is for two regions of the three regions described in [\[RFC8179\]](#), roughly speaking, after sunrise or after dinner. This has the tradeoff that it maps the third region in middle of night. However, that also means for most participants only one remote meeting per year might require a significant change to sleep schedules.

The times are also seasonally adjusted to leverage differentials in Daylight Savings Time. These time slots are as follows, in UTC:

Name	Times (Northern Summer)	Times (Northern Winter)
North America Night	0500-1100 UTC	0600-1200 UTC
Asia Night	1300-1900 UTC	1400-2000 UTC
Europe Night	2200-0400 UTC	2200-0400 UTC

Table 1

The intent of rotating between these three slots is to scatter meetings throughout the course of the global day, to maximize the ease of participants to occasionally attend regardless of their location and what time of day is optimal for their schedule.

### 3.1.1. Rules for selection

The IETF will select a start time from these three choices based on the past three meetings. The following table covers all permutations of previous meetings held in-person in Region A, B, or C; or remotely in the nights of one of those regions.

3 meetings ago	2 meetings ago	Last Meeting	Online Selection
Any	Any	In-Person A	A Night
Any	Online A Night	Online B Night	C Night
Online A Night	In-Person B	Online B Night	C Night
In-Person A	In-Person B	Online B Night	A Night
In-Person A	In-Person A	Online A Night	see below
Online A Night	Online B Night	Online C Night	A Night

Table 2

Basically this table follows two rules: 1) When ever a fully online meeting follows and in-person meeting, the online meeting time is used that disadvantages most the participants of the time zone where the in-person meeting was held. 2) If multiple fully online meetings follow each other, the time zone selection should be rotated based on the most recent time zones that the in-person meetings were held in.

The final case occurs in the rare event that back-to-back in-person plenaries occur in the same region. In this case, find the most recent meeting that was neither in 'A' (if in person) nor in 'A' night (if remote). If this meeting was in-person in region 'B', then the next meeting will be in 'B' Night. If it was remote in 'B' Night, the next meeting will be in 'C' Night.

To initialize this algorithm, IETF 112 is considered as an 'Asia Night' remote meeting, and IETF 111 is a 'Europe Night' remote meeting.

### 3.2. Number of Days and Total Hours per Day

Online meetings have converged to run over 5 days with 6-hour meeting days, roughly. Only, the administrative plenary, which concludes with multiple open mic sessions, is not necessarily time-bounded.

Based on the experience so far, 6 hours of online meetings, with two 30 minutes breaks, appear to be potentially a natural limited of what is handleable for most participants. Respectively, the meeting survey after IETF 109 has indicated a high satisfaction with the distribution of sessions over 5 days but only a medium satisfaction with the overall length of each day [<https://www.ietf.org/blog/ietf108-survey-results-informed-planning/>].

While there is a possible trade-off between shorter but more days, a compact and potentially intense meeting was slightly prefer from the beginning by the community. And, different than for in-person meetings, also utilize time during the weekend was never considered as a possible option. So far, it was possible for all meetings to fit the requested number of sessions within 5 days, with the respective number of parallel tracks, see Section [Section 3.4](#).

### 3.3. Session/Break Length

For fully online meetings there are typically less sessions per day, than for in-person meetings, in order to keep the overall meeting day to at roughly 6 hours. The reduction of the number of sessions per day let to the practice of offering chairs only two options for session length (instead of three), in order to make session scheduling more practical.

At IETF-108, based on an indicated preference of the community, 50 and 100 minute slot were used, with only 10 minutes breaks, in order to keep the overall day length at 5 hours. This resulted in many sessions going over time and thereby clearly indicated that only 10 minutes for breaks are not practical.

The survey after IETF-109 showed a high satisfaction with 60/120 minute session lengths and 30 minute breaks, and a significant improvement in satisfaction over IETF-108. [<https://www.ietf.org/blog/ietf-109-post-meeting-survey/>]

While the option to shorten the breaks was discussed during the later meetings, a saving of in total 10-20 minutes per day might not balance the need to use the breaks for recreation or at least some socialising.

### **3.4. Number of Parallel Tracks**

Fully online meetings are not limited in the number of parallel tracks by the physical restriction of a meeting venue aka the number of meeting rooms. In order to reduce the number of possible conflicts, it is still desirable to minimise the number of parallel tracks by balancing the requested sessions mostly equally over the available slots.

But if the total number of requested sessions exceeds the capacity of the usual 8 parallel tracks, it is possible for a fully online meeting to simply use more tracks. This also means, if the number of meeting days is seen as fixed, this decision is implicitly made by the working group chairs requesting a certain number of sessions and length.

As more parallel sessions usually also mean more conflicts, chairs are encouraged to request plenary meeting time carefully but also based on realistic planning to avoid running over time. Use of interim meetings should be considered instead where possible and sensible, as discussed in Section [Section 4.1](#).

## **4. Additional Considerations and Recommendations**

### **4.1. Full vs. limited agenda (and interim meetings)**

The IETF-108 meeting survey asked about the structure of that meeting (full meeting) compared to that of IETF 107, which hosted only a limited set of session followed by interims in the weeks after. The structure of IETF 108 was preferred by 82% [<https://www.ietf.org/blog/ietf-108-meeting-survey/>]. While the limited agenda of IETF-107 could have been a good one-time replacement, the value of cross-participation and high active meetings weeks has been recognised as important for continuous progress (and not only for newly initiated work).

A highly concentrated meeting, in structure similar to the in-person plenary meeting, provides value for cross-participants. Further a well defined meeting time, rather than spreading many interims over the whole year can make deconflicting with other non-IETF meetings easier.

While the time during an in-person meeting can be used very intensively, even a compact and full online schedule does often not prevent day-job duties to occur in parallel. Therefore, allocating more time can also make it more difficult for people to join and as such needs to be balanced with the option to distribute load better over the entire year by a more regular use of interim meetings.

Use of (more) online interim meetings can also help to reduce scheduling conflicts during an IETF week and allows for a more optimal schedule for the key participants. Of course these interim meetings are less likely to attract people with casual interest but provide a good opportunity for the most active participants of a group to have detailed technical discussions and solve recorded issues efficiently.

#### **4.2. Flexibility of time usage**

This document recommends that new opportunities in the use and scheduling of online meeting time should be explored that can help to reduce conflicts during the plenary meeting.

Online meetings provide an opportunity to use more time more flexibly. While for an in-person meeting all sessions have to be fitted into the available time people are willing to travel at once (usually roughly a week), online meetings do not have that constraint. Therefore for the planning of online meetings, there is a trade-off between the number of parallel tracks, where more parallel tracks mean more potential conflicts (as least of high-active participants), and the overall time in terms of hours per day or total days used.

As one example, it would be possible to keep most regular working group sessions within the usually five main meeting days but have some of the more conflicted sessions in other dedicated time slots. As the Hackathon for online only meetings is usually held in the week before the online plenary meeting [[I-D.ietf-shmoo-hackathon](#)], that week is already a high active week for many IETF participants and might provide an opportunity to schedule a few selected sessions. If only one session at a time needs to be scheduled, it is easier to use a time slot that is well assessable for most people in the community in various time zones. This might make especially sense for sessions that are of high interest for a large part of the community, such as BoFs or dispatch meetings, and therefore hard to schedule during the main IETF week.

#### **4.3. Chances for inclusivity and Lessons Learnt on socializing**

Participation at the most recent online only meetings was rather high and had a quite stable per-country distribution, even though time zones were rotated. This indicates that online meetings support a more easy and therefore potentially broader participation than in-person meetings where participation is often fluctuating based on the location.

However, it has also been recognised that the online meeting does not provide an equivalent opportunity to socialize. The observed

slight decrease in submission of new (-00) drafts, while the overall number of draft submission and productivity seem to stay stable, might also be an indication of the dismiss of these interactions. The increase in interim meetings potentially compensates for these missing interactions for continuous work (or may even increase productivity there), but seems to be less adequate to spark new ideas.

None of the data observed so far can, however, be interpreted as showing a significant trend. However, these factors should be considered for the organization of future online-only meetings in replacement or addition to in-person meetings.

#### **4.4. Experiments**

Similar as for in-person meetings, it is desirable to experiment with the meeting structure. Often only practical experience can answer open questions. It is recommended to not experiment with a larger number of different aspects at the same time, in order to be able to assess the outcome correctly. It is further recommended to announce any such experiment in advance, so people adjust to changes and potentially provide feedback.

### **5. Acknowledgments**

### **6. References**

#### **6.1. Normative References**

- [RFC8179] Bradner, S. and J. Contreras, "Intellectual Property Rights in IETF Technology", BCP 79, RFC 8179, DOI 10.17487/RFC8179, May 2017, <<https://www.rfc-editor.org/rfc/rfc8179>>.
- [RFC8719] Krishnan, S., "High-Level Guidance for the Meeting Policy of the IETF", BCP 226, RFC 8719, DOI 10.17487/RFC8719, February 2020, <<https://www.rfc-editor.org/rfc/rfc8719>>.

#### **6.2. Informative References**

- [I-D.ietf-shmoo-hackathon] Eckel, C., "Running an IETF Hackathon", Work in Progress, Internet-Draft, draft-ietf-shmoo-hackathon-01, 9 July 2021, <<https://datatracker.ietf.org/doc/html/draft-ietf-shmoo-hackathon-01>>.

### **Authors' Addresses**

Mirja Kuehlewind  
Ericsson



Email: [mirja.kuehlewind@ericsson.com](mailto:mirja.kuehlewind@ericsson.com)

Martin Duke  
F5 Networks, Inc.

Email: [martin.h.duke@gmail.com](mailto:martin.h.duke@gmail.com)