

MILE
Internet-Draft
Intended status: Informational
Expires: August 15, 2014

K. Moriarty, Ed.
EMC Corporation
February 11, 2014

MILE Implementation Report
draft-moriarty-mile-implementreport-00

Abstract

This document is a collection of implementation reports from vendors, consortiums, and researchers who have implemented one or more of the standards published from the IETF INCident Handling (INCH) and Management Incident Lightweight Exchange (MILE) working groups.

Status of this Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on August 15, 2014.

Copyright Notice

Copyright (c) 2014 IETFTrust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Internet-Draft

Abbreviated Title

February 2014

Table of Contents

- [1. Introduction](#) [3](#)
- [2. Consortiums and Information Sharing and Analysis Centers \(ISACs\)](#) [3](#)
 - [2.1. Anti-Phishing Working Group](#) [3](#)
 - [2.2. Advanced Cyber Defence Centre \(ACDC\)](#) [3](#)
- [3. Open Source Implementations](#) [4](#)
 - [3.1. EMC/RSA RID Agent](#) [4](#)
 - [3.2. NICT IODEF-SCI implementation](#) [4](#)
- [4. Vendor Implementations](#) [5](#)
 - [4.1. Deep Secure](#) [5](#)
 - [4.2. IncMan Suite, DFLabs](#) [5](#)
 - [4.3. Surevine Proof of Concept](#) [7](#)
- [5. Vendors with Planned Support](#) [7](#)
 - [5.1. Threat Central, HP](#) [7](#)
- [6. Acknowledgements](#) [7](#)
- [7. IANA Considerations](#) [8](#)
- [8. Security Considerations](#) [8](#)
- [9. Informative References](#) [8](#)
- [Author's Address](#) [8](#)

Internet-Draft

Abbreviated Title

February 2014

1. Introduction

This document is a collection of implementation reports from vendors and researchers who have implemented one or more of the standards published from the INCH and MILE working groups. The standards include:

- o Incident Object Description Exchange Format (IODEF) v1, [RFC5070](#),
- o Incident Object Description Exchange Format (IODEF) v2, [RFC5070-bis](#),
- o Extensions to the IODEF-Document Class for Reporting Phishing, [RFC5901](#)
- o Sharing Transaction Fraud Data, [RFC5941](#)
- o IODEF-extension for Structured Cybersecurity Information, RFCXXXX
- o Real-time Inter-network Defense (RID), [RFC6545](#)
- o Transport of Real-time Inter-network Defense (RID) Messages over HTTP/TLS, [RFC6546](#).

The implementation reports included in this document have been provided by the team or product responsible for the implementations of the mentioned RFCs. Additional submissions are welcome and should be sent to the draft editor. A more complete list of implementations, including open source efforts and vendor products, can also be found at the following location:

<http://siis.realmv6.org/implementations/>

2. Consortiums and Information Sharing and Analysis Centers (ISACs)

2.1. Anti-Phishing Working Group

Description of how IODEF is used will be provided in a future revision.

2.2. Advanced Cyber Defence Centre (ACDC)

Description of how IODEF is used will be provided in a future revision. <http://www.botfree.eu/>

3. Open Source Implementations

3.1. EMC/RSA RID Agent

The EMC/RSA RID agent is an open source implementation of the Internet Engineering Task Force (IETF) standards for the exchange of incident and indicator data. The code has been released under an MIT license and development will continue with the open source community at the Github site for RSA Intelligence Sharing:

<https://github.com/RSAIntelShare/RID-Server.git>

The code implements the [RFC6545](#), Real-time Inter-network Defense (RID) and [RFC6546](#), Transport of RID over HTTP/TLS protocol. The code supports the evolving [RFC5070](#)-bis Incident Object Description Exchange Format (IODEF) data model from the work in the IETF working group Managed Incident Lightweight Exchange (MILE).

3.2. NICT IODEF-SCI implementation

Japan's National Institute of Information and Communications Technology (NICT) Network Security Research Institute implemented open source tools for exchanging, accumulating, and locating IODEF-SCI documents.

Three tools are available in GitHub. They assist the exchange of IODEF-SCI documents between parties. IODEF-SCI is the IETF draft that extends IODEF so that IODEF document can embed structured cybersecurity information (SCI). For instance, it can embed MMDEF,

CEE, MAEC in XML and CVE identifiers.

The three tools are generator, exchanger, and parser. The generator generates IODEF-SCI document or appends an XML to existing IODEF document. The exchanger sends the IODEF document to its correspondent node. The parser receives, parses, and stores the IODEF-SCI document. It also equips the interface that enable users to locate IODEF-SCI documents it has ever received. The code has been released under an MIT license and development will continue here.

Note that users can enjoy this software with their own responsibility.

Available Online:

<https://github.com/TakeshiTakahashi/IODEF-SCI>

[4.](#) Vendor Implementations

[4.1.](#) Deep Secure

Deep-Secure Guards are built to protect a trusted domain from:

- o releasing sensitive data that does not meet the organisational security policy
- o applications receiving badly constructed or malicious data which could exploit a vulnerability (known or unknown)

Deep-Secure Guards support HTTPS and XMPP (optimised server to server protocol) transports. The Deep-Secure Guards support transfer of XML based business content by creating a schema to translate the known good content to and from the intermediate format. This means that the Deep-Secure Guards can be used to protect:

- o IODEF/RID using the HTTPS transport binding ([RFC 6546](#))
- o IODEF/RID using an XMPP binding

- o ROLIE using HTTPS transport binding ([draft-field-mile-rolie-02](#))
- o STIX/TAXII using the HTTPS transport binding

Deep-Secure Guards also support the SMTP transport and perform deep content inspection of content including XML attachments. The Mail Guard supports S/MIME and Deep Secure are working on support for the upcoming PLASMA standard which enables information centric policy enforcement of data.

[4.2.](#) IncMan Suite, DFLabs

The Incident Object Description Exchange Format, documented in the [RFC 5070](#), defines a data representation that provides a framework for sharing information commonly exchanged by Computer Security Incident Response Teams (CSIRTs) about computer security incidents. IncMan Suite implements the IODEF standard for exchanging details about incidents, either for exporting and importing activities. This has been introduced to enhance the capabilities of the various CSIRT, to facilitate collaboration and sharing of useful experiences, conveying awareness on specific cases.

The IODEF implementation is specified as an XML schema, therefore all data are stored in an xml file: in this file all data of an incident are organized in a hierarchical structure to describe the various objects and their relationships.

IncMan Suite relies on IODEF as a transport format, composed by various classes for describing the entities which are part of the incident description: for instance the various relevant timestamps (detect time , start time, end time, report time), the techniques used by the intruders to perpetrate the incident, the impact of the incident, either technical and non-technical (time and monetary) and obviously all systems involved in the incident.

[4.2.1.](#) Exporting Incidents

Each incident defined in IncMan Suite can be exported via a User Interface feature and it will populate an xml document. Due to the nature of the data processed, the IODEF extraction might be considered privacy sensitive by the parties exchanging the information or by those described by it. For this reason, specific

care needs to be taken in ensuring the distribution to an appropriate audience or third party, either during the document exchange and subsequent processing.

The xml document generated will include description and details of the incident along with all the systems involved and the related information. At this stage it can be distributed for import into a remote system.

4.2.2. Importing Incidents

IncMan Suite provides a functionality to import incidents stored in files and transported via IODEF-compliant xml documents. The importing process comprises of two steps: firstly, the file is inspected to validate if well formed, then all data are uploaded inside the system.

If an incident is already existing in the system with the same incident id, the new one being imported will be created under a new id. This approach prevents from accidentally overwriting existing info or merging inconsistent data.

IncMan Suite includes also a feature to upload incidents from emails.

The incident, described in xml format, can be stored directly into the body of the email message or transported as an attachment of the email. At regular intervals, customizable by the user, IncMan Suite monitors for incoming emails, filtered by a configurable white-list and black-list mechanism on the sender's email account, then a parser processes the received email and a new incident is created automatically, after having validated the email body or the attachment to ensure it is a well formed format.

4.3. Surevine Proof of Concept

XMPP is enhanced and extended through the XMPP Extension Protocols (or XEPs). XEP-0268 (<http://xmpp.org/extensions/xep-0268.html>) describes incident management (using IODEF) of the XMPP network itself, effectively supporting self-healing the XMPP network. In order to more generically cover incident management of a network and over a network, XEP-0268 requires some updates. We are working on

these changes together with a new XEP that supports "social networking" over XMPP, enhancing the publish-and-subscribe XEP (XEP-0060). This now allows nodes to publish any type of content and subscribe to and therefore receive the content. XEP-0268 will be used to describe IODEF content. We now have an alpha version of the server-side software and client-side software required to demonstrate the "social networking" capability and are currently enhancing this to support Cyber Incident management in real-time.

5. Vendors with Planned Support

5.1. Threat Central, HP

HP has developed HP Threat Central, a security intelligence platform that enables automated, real-time collaboration between organizations to combat today's increasingly sophisticated cyber attacks. One way automated sharing of threat indicators is achieved is through close integration with the HP ArcSight SIEM for automated upload and consumption of information from the Threat Central Server. In addition HP Threat Central supports open standards for sharing threat information so that participants who do not use HP Security Products can participate in the sharing ecosystem. General availability of Threat Central will be in 2014. It is planned that future versions also support IODEF for the automated upload and download of threat information.

6. Acknowledgements

The MILE Implementation report has been compiled through the submissions of implementers of INCH and MILE working group standards. A special note of thanks to the following contributors:

John Atherton, Surevine

Humphrey Browning, Deep-Secure

Dario Forte, DFLabs

Ulrich Seldeslachts, ACDC

Takeshi Takahashi, National Institute of Information and
Communications Technology Network Security Research Institute

7. IANA Considerations

This memo includes no request to IANA.

8. Security Considerations

This draft provides a summary of implementation reports from researchers and vendors who have implemented RFCs and drafts from the MILE and INCH working groups. There are no security considerations added in this draft because of the nature of the document.

9. Informative References

- [RFC5070] Danyliw, R., Meijer, J., and Y. Demchenko, "The Incident Object Description Exchange Format", [RFC 5070](#), December 2007.
- [RFC5901] Cain, P. and D. Jevans, "Extensions to the IODEF-Documents Class for Reporting Phishing", [RFC 5901](#), July 2010.
- [RFC5941] M'Raihi, D., Boeyen, S., Grandcolas, M., and S. Bajaj, "Sharing Transaction Fraud Data", [RFC 5941](#), August 2010.
- [RFC6545] Moriarty, K., "Real-time Inter-network Defense (RID)", [RFC 6545](#), April 2012.
- [RFC6546] Trammell, B., "Transport of Real-time Inter-network Defense (RID) Messages over HTTP/TLS", [RFC 6546](#), April 2012.

Internet-Draft

Abbreviated Title

February 2014

Author's Address

Kathleen Moriarty (editor)
EMC Corporation
176 South Street
Hopkinton, MA
US

Email: Kathleen.Moriarty@emc.com

Moriarty

Expires August 15, 2014

[Page 9]