CCAMP Working Group
Internet Draft
Intended status: Standard Track
Expires: April 29, 2018

Y. Lee
D. Dhody
Huawei

V. Lopez
Telefonica

D. King
U. of Lancaster

B. Yoon
ETRI

R. Vilalta
CTTC

October 29, 2017

A Yang Data Model for WSON Tunnel

draft-lee-ccamp-wson-tunnel-model-02.txt

Abstract

This document provides a YANG data model for WSON TE tunnel.

Status of this Memo

This Internet-Draft is submitted to IETF in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF), its areas, and its working groups. Note that other groups may also distribute working documents as Internet-Drafts.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

The list of current Internet-Drafts can be accessed at http://www.ietf.org/ietf/1id-abstracts.txt

The list of Internet-Draft Shadow Directories can be accessed at http://www.ietf.org/shadow.html

This Internet-Draft will expire on December 29, 2017.

Copyright Notice

Table of Contents

1. Introduction

This document provides a YANG data model for WSON tunnel model. The YANG model described in this document is a WSON technology-specific Yang Tunnel model based on the information model developed in [RFC7446] and the two encoding documents [RFC7581] and [RFC7579] that developed protocol independent encodings based on [RFC7446].

This document augments the generic TE tunnel model [TE-Tunnel].

2. YANG Model (Tree Structure)

module: ietf-wson-tunnel

```
  augment /te:te/te:tunnels/te:tunnel:
    +--rw src-client-signal?   identityref
    +--rw dst-client-signal?   identityref
  augment /te:te/te:tunnels/te:tunnel/te:state:
    +--ro src-client-signal?   identityref
    +--ro dst-client-signal?   identityref
  augment /te:te/te:globals/te:named-path-constraints/te:named-path-
constraint:
    +--rw wavelength-assignment?   identityref
  augment /te:tunnels-rpc/te:input/te:tunnel-info/tepc:request-list:
    +---- src-client-signal?       identityref
    +---- dst-client-signal?       identityref
    +---- wavelength-assignment?   identityref
```

3. TE Tunnel Model for WSON

<CODE BEGINS> file "ietf-te-wson@2017-10-29.yang"

```
module ietf-wson-tunnel {
    //TODO: FIXME
    //yang-version 1.1;

    namespace "urn:ietf:params:xml:ns:yang:ietf-wson-tunnel";
    prefix "wson-tunnel";

    import ietf-te { prefix "te"; }
    import ietf-transport-types { prefix "tran-types"; }
    import ietf-te-wson-types { prefix "wson-types"; }
    import ietf-te-path-computation { prefix "tepc"; }

    organization
        "IETF CCAMP Working Group";

    contact
        "WG Web:   <http://tools.ietf.org/wg/ccamp/>
         WG List:  <mailto:ccamp@ietf.org>

         WG Chair: Daniele Ceccarelli
                    <mailto:daniele.ceccarelli@ericsson.com>

         WG Chair: Fatai Zhang
                    <mailto:zhangfatai@huawei.com>
```

```
         Editor: Young Lee <leeyoung@huawei.com>
         Editor: Dhruv Dhody <dhruv.ietf@gmail.com>
         Editor: Ricard Vilalta <ricard.vilalta@cttc.es>";
         description
             "This module defines a model for WSON Tunnel Services.";


    revision "2017-10-29" {
        description
             "Updates to version 2";
        reference "version 2";
    }

    grouping wson-tunnel-endpoint {
        description "Parameters for OTN tunnel.";

        leaf src-client-signal {
                type identityref {
                        base tran-types:client-signal;
                }
                description
                        "Client signal at the source endpoint of
                        the tunnel.";
        }

        leaf dst-client-signal {
            type identityref {
                    base tran-types:client-signal;
            }
            description
                    "Client signal at the destination endpoint of
                    the tunnel.";
        }
    }

    grouping wson-path-constraints {
      description
        "Global named path constraints configuration
         grouping for WSON tunnel";

      leaf wavelength-assignment {
        type identityref {
          base wson-types:wavelength-assignment;
        }
```

```
        description "Wavelength Allocation Method";
      }
    }

    augment "/te:te/te:tunnels/te:tunnel" {
        description
                "Augment with additional parameters required for WSON
                tunnel.";
        uses wson-tunnel-endpoint;
    }

    augment "/te:te/te:tunnels/te:tunnel/te:state" {
        description
                "Augment with additional parameters required for WSON
                tunnel.";
        uses wson-tunnel-endpoint;
    }

    augment "/te:te/te:globals/te:named-path-constraints/"
        + "te:named-path-constraint" {
        description
                "Augment with additional constraints WSON
                tunnel.";
        uses wson-path-constraints;
    }


    augment "/te:tunnels-rpc/te:input/te:tunnel-info/"
        + "tepc:request-list" {
        description
                "Augment with additional constraints WSON
                tunnel.";
        uses wson-tunnel-endpoint;
        uses wson-path-constraints;
    }


}
```

<CODE ENDS>

4. Security Considerations

The configuration, state, and action data defined in this document

are designed to be accessed via a management protocol with a secure transport layer, such as NETCONF [RFC6241]. The NETCONF access control model [RFC6536] provides the means to restrict access for particular NETCONF users to a preconfigured subset of all available NETCONF protocol operations and content.

A number of configuration data nodes defined in this document are writable/deletable (i.e., "config true") These data nodes may be considered sensitive or vulnerable in some network environments.

5. IANA Considerations

This document registers the following namespace URIs in the IETF XML registry [RFC3688]:

```
---------------------------------------------------------------------
URI: urn:ietf:params:xml:ns:yang:ietf-wson-tunnel
Registrant Contact: The IESG.
XML: N/A, the requested URI is an XML namespace.
---------------------------------------------------------------------
```

This document registers the following YANG modules in the YANG Module

Names registry [RFC7950]:

```
---------------------------------------------------------------------
name:         ietf-wson-tunnel
namespace:    urn:ietf:params:xml:ns:yang:ietf-wson-tunnel
reference:    RFC XXXX (TDB)
---------------------------------------------------------------------
```

6. Acknowledgments

This document was prepared using 2-Word-v2.0.template.dot.

7. References

7.1. Normative References

[TE-TOPO] X. Liu, et al., "YANG Data Model for TE Topologies", work in progress: draft-ietf-teas-yang-te-topo.

7.2. Informative References

[RFC7446] Y. Lee, G. Bernstein, D. Li, W. Imajuku, "Routing and Wavelength Assignment Information Model for Wavelength Switched Optical Networks", RFC 7446, Feburary 2015.

[RFC7579] G. Bernstein, Y. Lee, D. Li, W. Imajuku, "General Network Element Constraint Encoding for GMPLS Controlled Networks", RFC 7579, June 2015.

[RFC7581] G. Bernstein, Y. Lee, D. Li, W. Imajuku, "Routing and Wavelength Assignment Information Encoding for Wavelength Switched Optical Networks", RFC 7581, June 2015.

8. Contributors

Authors' Addresses

Young Lee (ed.)
Huawei Technologies
5340 Legacy Drive, Building 3
Plano, TX 75023
USA

Phone: (469) 277-5838
Email: leeyoung@huawei.com

Dhruv Dhody
Huawei Technologies India Pvt. Ltd,
Near EPIP Industrial Area, Kundalahalli Village, Whitefield,
Bangalore - 560 037 [H1-2A-245]

Email: dhruv.dhody@huawei.com

Victor Lopez
Telefonica
Email: victor.lopezalvarez@telefonica.com

Daniel King
University of Lancaster
Email: d.king@lancaster.ac.uk

Bin Yeong Yoon
ETRI
218 Gaijeongro, Yuseong-gu
Daejeon, Korea
Email: byyun@etri.re.kr

Ricard Vilalta
CTTC
Email: ricard.vilalta@cttc.es